AMENDED

Nº 45750

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

| Date of filing in State Engineer's Office JUN 3 1982 |
|--|
| Returned to applicant for correction. AUG 1 1 1982 |
| Corrected application filed OCT 4 1982 |
| Map filed OCT 4 1982 under 45749 |
| The applicant Reed B. Robison and Brent Eldridge |
| Star Route 1. Box 42 , of Ely , City or Town |
| Street and No. or P.O. Box No. Nevada 89301 , hereby make application for permission to appropriate the public State and Zip Code No. |
| State and Zip Code No. waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora- |
| tion; if a copartnership or association, give names of members.) |
| |
| 1. The source of the proposed appropriation isCleve_Creek |
| 2. The amount of water applied for is 5.0 c.f.s. second-feet One second-foot equals 448.83 gals. per min. |
| One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet |
| |
| 3. The water to be used for |
| |
| (a) Irrigation, state number of acres to be irrigated: |
| (b) Stockwater, state number and kinds of animals to be watered: |
| (c) Other use (describe fully under "No. 12. Remarks" |
| (d) Power: |
| (1) Horsepower developed 2.8.0.0h.p. |
| (2) Point of return of water to stream in the SW½ SE½ of Section 13, T.16N., R.66E., M.D.B.&M., (Partially Unsurveyed) whence the Southwest Corner of said Section 13 bears \$7.76°06'48"W 3.985'45 feet distant. in the NW½ NE½ of Section 34, Describe as being within a 40-acre subdivision of public |
| T.16N., R.66E., M.D.B.&M., (Partially Unsurveyed) whence the Northeast survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. |
| Corner of Section 23, T.16N., R.66E., M.D.B.&M., (Partially Unsurveyed bears N.35°25'33"E., 13,583.85 feet distant. 6. Place of use St SEt of Section 13, T.16N., R.66E., M.D.B.&M. (Partially Describe by legal subdivision. If on unsurveyed land, it should be so stated. |
| Describe by legal subdivision. If on unsurveyed land, it should be so stated. Unsurveyed) |
| |
| 7. Use will begin about January 1st and end about December 31st, of each year. Month and Day |
| 8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and |
| specifications of your diversion or storage works.) The water will be diverted through State manner in which water is to be diverted, i.e. diversion structure, ditches and |
| approximately 16,775 feet of 36" pipeline. flumes, drilled well with pump and motor, etc. |
| 9. Estimated cost of works \$500,000,00 |

| 10. | Estimated time required to construct works 3 years If well completed, describe works. |
|--------|--|
| 11. | Estimated time required to complete the application of water to beneficial use 5 years |
| 12. | Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. |
| | |
| | By s/ Richard W. Forman |
| Com | Richard W. Forman Agent pared_sg/bl P.O. Box 150 |
| | Ely, NV 89301 |
| | OF STATE ENGINEER |
| | This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the |
| follo | wing limitations and conditions: |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| The | amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and |
| | to exceed |
| 100 | |
| Wor | k must be prosecuted with reasonable diligence and be completed on or before. |
| Proc | of of completion of work shall be filed before. |
| | lication of water to beneficial use shall be made on or before |
| | of the application of water to beneficial use shall be filed on or before. |
| Мар | in support of proof of beneficial use shall be filed on or before. |
| | pletion of work filed |
| | State Engineer of Nevada, have hereunto set my hand and the seal of of beneficial use filed |
| | my office, thisday of, |
| | A.D. 19 |
| ceriii | icate No |